ELSEVIER

Journal of Organometallic Chemistry 584 (1999) 401–402

Journal of Organometallic Chemistry

Author Index of Volume 584

Abedini, M., 171
Adams, C.J., 254
Adams, R.D., 223
Amberger, H.-D., 310
Antelmann, B., 131

Badshah, A., 98
Barbieri Paulsen, A., 103
Barbieri, R., 103, 293
Batra, R., 27
Beck, W., 122
Behrens, U., 1
Belsky, V.K., 164
Bencze, É., 118
Birdwhistell, K.R., 200
Bläser, D., 338
Bocelli, G., 63
Boeck, P., 44
Boersma, J., 246
Boese, R., 338
Braga, A.L., 44
Brandts, J.A.M., 246
Bruce, M.I., 254
Buchmeiser, M.R., 301
Bulychev, B.M., 164

Callaghan, C.S.J., 87
Cardin, C.J., 366
Catellani, M., 63
Che, D.-J., 190
Chen, W., 135
Cho, C.-W., 140
Choukroun, R., 323
Clentsmith, G.K.B., 58
Cristau, H.-J., 68
Cugini, F., 63
Czap, N., 338

Diversi, P., 73
Djakovitch, L., 16
Donchev, A., 94

Erker, G., 320

Fabrizi de Biani, F., 73
Feng, M., 235
Finocchiaro, S., 265
Fischer, R.A., 131
FitzGerald, Á.M., 206
Flemming, J., 33
Frediani, P., 265
Fritzsche, H., 33
Fröhlich, R., 318
Fry, A.J., 230

Girasolo, M.A., 293
Göbel, A., 33
Goggin, P.L., 118
Gröger, G., 1

Hachiya, T., 197
Han Ahn, K., 140
Haubold, S., 329
Heck, J., 329
Heise, H., 16
He, J., 331
Hitchcock, P.B., 58, 87, 366
Hoffmann, H., 131
Holmes, N.J., 179
Horáček, M., 286, 323
Huber, F., 103, 293
Huttner, G., 131

Ikariya, T., 197
Imhof, W., 33
Ingrosso, G., 73
Ishii, H., 213

Jain, V.K., 159
Jouanin, I., 68
Schneider, J.J., 338

Kabir, S.E., 344
Kaihara, M., 197
Kanellakopulos, B., 310
Kee Leong, W., 174
Khvostov, A.V., 164
Köhler, K., 16
Körnich, J., 329
Kovacs, I., 347
Krebs, B., 11
Kuchinke, J., 11
Kupfer, V., 286
Kwon, O.-S., 223

Langmaier, J., 323
Lanza, J., 200
Lappert, M.F., 366
Laschi, F., 73
Lee, K., 361
Lee, S., 140
Levason, W., 179
Li, G., 190
Liu, J., 135
Liu, Y., 174
López, J.L., 147
Lucherini, A., 73
Lücke, S., 11
MacBeath, C., 366

Mach, K., 286, 323
Maiwald, S., 310
Martínez, J.C., 147
Mattheis, C., 274
Mink, J., 118
Mizuguchi, M., 197
Mohsen Moossavi, S., 171
Molina, P., 147
Molla, E., 98
Mottalib, A., 98
Müller, J.F.K., 27

Nakamura, T., 197
Nieuwenhuyzen, M., 206
Nixon, J.F., 58, 87

Ohlmann, D., 33
Osakada, K., 213

Pacheiner, S., 318
Pällin, V., 185
Pápai, I., 118
Park, J., 140
Park, J.T., 361
Pasos, J., 200
Paulasaari, J.K., 376
Paulsen, A.B., 293
Pearson, C., 347
Perin, G., 44
Perrin, J.L., 223
Petragnani, N., 44
Pinzino, C., 73
Pirelahi, H., 171
Polášek, M., 286
Purath, A., 94
P. Weber, W., 376

Quan, Z., 140

Raimundo, B.C., 230
Reddmann, H., 310
Reimelt, O., 329
Roesmann, R., 318
Ruf, M., 344
Ruisi, G., 103, 293

Sakano, T., 213
Sakaraya, N., 58
Salvini, A., 265
Samec, Z., 323
Saunders, G.C., 206
Schmiedgen, R., 103
Schnöckel, H., 94
Schottenberger, H., 301
Schulte, P., 1

PII: S0022-328X(99)00280-6

Schürmann, M., 103, 293
Shaver, A., 347
Shen, X., 240
Shimoyama, I., 197
Shing Chan, K., 235
Silveira, C.C., 44
Silvestri, A., 103, 293
Sizov, A.I., 164
Skelton, B.W., 254
Song, H., 361
Štěpnička, P., 286
Stoppek-Langner, K., 11
Strauch, H.C., 318
Suh, I.-H., 361
Sun, J., 356
Sünkel, K., 122

Taillefer, M., 68
Tárraga, A., 147
Taube, R., 310
Thewalt, U., 286
Tian, J, 240
Tuulmets, A., 185

Vahrenkamp, H., 344
van de Geijn, P., 246
van der Zeijden, A.A.H., 274
van Faassen, E.E., 246
van Koten, G., 246
Varga, V., 323
Varghese, B., 159

Wang, B., 356
Wang, W.-L., 190
Warhurst, N.J.W., 366
Webster, M., 179
Weigand, W., 122
White, A.H., 254
Wibbeling, B., 318
Woisetschläger, O.E., 122
Wong, W.-T., 48
Wong, W.-Y., 48
Wrackmeyer, B., 98
Wu, Q.-J., 190
Wurst, K., 301

Xu, S., 356

Yamaguchi, I., 213
Yamamoto, T., 213
Yao, X.-L., 190
Yu, Q., 94

Zanello, P., 73
Zhang, J., 135
Zhang, J., 240
Zhang, S., 135
Zhang, Y., 356
Zhou, X., 356
Zhuang, X., 135
Zhu, Y., 190
Zou, H., 240

ELSEVIER

Journal of Organometallic Chemistry 584 (1999) 403–410

Journal of Organometallic Chemistry

Subject Index of Volume 584

Ab initio calculations
An ab initio study on dilithiosulfoximines, 27
Acetylene
Complexes $PhMgBr \cdot nMgBr_2 \cdot mNEt_3$ in the reaction with acetylene, 185
Acylthiourea
Photochemical generation of a novel (O, N′, N″) coordinated iron(II) complex [Fe(FT–py)$_2$] from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N*′-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and [Fe(FT–py)$_2$], 190
Al–Cr bonding
The first structurally characterized coordination compound containing direct Al–Cr bonding: Cp*Al–Cr(CO)$_5$, 94
Alkylidyne
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
Alkylimido
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
Alkyne complexes
Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs [CuX(η^2-Cycloalkin)]$_n$ (X = Cl, Br, I; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1
Alkynes
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
Reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with $C_2(SiMe_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $Ru_5\{\mu_5\text{-}CC[C_2(SiMe_3)]C(SiMe_3)C(SiMe_3)\}(\mu_3\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$, $Ru_5(\mu_5\text{-}CCCCH_2)(\mu_3\text{-}SMe)(\mu\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$ and $Ru_5(\mu_5\text{-}CCCCH_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$, 254
Alkynide
Synthesis and crystal structure of $[(2,4\text{-}C_7H_{11})_2LnC{\equiv}CC_6H_5]_2$ (Ln = Gd, Er), 135
Allylic substitution
Synthesis of chiral 1′-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
Allyl ligand
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von [Nd(η^3-$C_3H_5)_3 \cdot$ Dioxan$_{2/2}$] im f-Bereich, 310
Aluminium(I) compounds
The first structurally characterized coordination compound containing direct Al–Cr bonding: Cp*Al–Cr(CO)$_5$, 94
ansa-Metallocenes
Ytterbium(+2) indenyl complexes: synthesis and crystal structures of $(C_9H_7)_2Yb \cdot DME$, *rac*-$(CH_2)_2(1\text{-}C_9H_6)_2Yb(THF)_2$, and *rac*-$(CH_2)_2[1\text{-}(4,7\text{-}(CH_3)_2C_9H_4)]Yb(THF)_2$, 164
ansa-Zirconocene dichlorides
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
Aromatic substitution
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
Aryl halides
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
aza-Wittig reaction
New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
Azide decomposition
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147

Barbituric acid
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
Benzo[b]thiophene complexes
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
Bis(cyclopentadiendiyl) bridged complexes
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Bismuthine
Metal carbonyl complexes of the ditertiary bismuthine *p*-$Ph_2BiC_6H_4BiPh_2$ and the effect of coordination upon bismuthine ligand geometry, 179
Boron
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
Bridged complexes
Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(Me_2SiSiMe_2)[(\eta^5\text{-}C_5Me_4)Ru\text{-}(CO)]_2(\mu\text{-}CO)_2$ and $[(Me_2Si(\eta^5\text{-}C_5Me_4)Ru(CO)_2]_2$, 356
Bridging 1,4-bis(trimethylsilyl)cyclooctatetraene dianion
Bis(μ-η^5:η^5-1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286
(Butadiene)metallocene addition reactions
The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

Carbodiimide metathesis
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

PII: S0022-328X(99)00281-8

Carbonylation
A practical synthetic method for dodecacarbonyltriruthenium, $Ru_3(CO)_{12}$, using ruthenium dioxide hydrate, 197
Carbonyl complex
Synthesis of the dicarbonyl ruthenium(0) triphosphole complex $[Ru(CO)_2\{\eta^5\text{-}P_3C_2Bu^t_2CH(SiMe_3)_2\}]$ and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system $\{CBu^tPP(H)CH(SiMe_3)_2\text{-}CBu^tP(O)H\}$, 58
Carbonyl complexes
Hydrogen–halogen exchange reactions of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Carbonyls
Reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with $C_2(SiMe_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $Ru_5\{\mu_5\text{-}CC[C_2(SiMe_3)]C(SiMe_3)C(SiMe_3)\}(\mu_3\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$, $Ru_5(\mu_5\text{-}CCCCH_2)(\mu_3\text{-}SMe)(\mu\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$ and $Ru_5(\mu_5\text{-}CCCCH_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$, 254
Carboxylate
A practical synthetic method for dodecacarbonyltriruthenium, $Ru_3(CO)_{12}$, using ruthenium dioxide hydrate, 197
Catalysis
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200
C–H activation
Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\text{-}\eta^3\text{-}(R)N{-}CH_2{-}C{=}C{-}C(H){=}C(H){-}C(H){=}C(H)]Fe_2(CO)_6$, 33
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
Charge transfer
Photochemical generation of a novel (O, N′, N″) coordinated iron(II) complex $[Fe(FT{-}py)_2]$ from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N*′-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and $[Fe(FT{-}py)_2]$, 190
Chromium
Metal carbonyl complexes of the ditertiary bismuthine *p*-$Ph_2BiC_6H_4BiPh_2$ and the effect of coordination upon bismuthine ligand geometry, 179
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
Chromiumpentacarbonyl
The first structurally characterized coordination compound containing direct Al–Cr bonding: $Cp^*Al{-}Cr(CO)_5$, 94
Clusters
Reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with $C_2(SiMe_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $Ru_5\{\mu_5\text{-}CC[C_2(SiMe_3)]C(SiMe_3)C(SiMe_3)\}(\mu_3\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$, $Ru_5(\mu_5\text{-}CCCCH_2)(\mu_3\text{-}SMe)(\mu\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$ and $Ru_5(\mu_5\text{-}CCCCH_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$, 254
Structural characterisation of the elusive isomer of $Os_3(CO)_{10}(PPh_3)_2$, 174
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
Cobalt
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Synthesis and structure of dinuclear $[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-}trimethylphenyl)_2Sn{-}Co(\eta^2\text{-}ethene)(\eta^5\text{-}Me_5C_5)]$ and its thermal conversion to trinuclear $[\{(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-}trimethylphenyl)_2Sn\}_2Co(\eta^5\text{-}Me_5C_5)]$ (Co–Sn_2), 338
Condensation
N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $RuCl_2(PPh_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213
Copper(I)
Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[CuX(\eta^2\text{-}Cycloalkin)]_n$ (X = Cl, Br, I; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1
Crystal field analysis
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[Nd(\eta^3\text{-}C_3H_5)_3 \cdot Dioxan_{2/2}]$ im f-Bereich, 310
Crystal structure
Bis(μ-η^5:η^5-1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286
Hydrogen–halogen exchange reactions of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Phosphine and isonitrile complexes of η^5-tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5\text{-}C_5Me_4H)RhCl_2(PPh_2R)$ (R = Ph or C_6F_5), 206
Synthesis and characterization of $(CH_3C(CH_2PPh_2)_3)RhH(\eta^2\text{-}C_{60})$, 361
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[Cp^*RhCl\{S_2P(OEt)_2\}]$, 159
Synthesis and crystal structure of $[(2,4\text{-}C_7H_{11})_2LnC{\equiv}CC_6H_5]_2$ (Ln = Gd, Er), 135
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
The first structurally characterized coordination compound containing direct Al–Cr bonding: $Cp^*Al{-}Cr(CO)_5$, 94
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
Ytterbium(+ 2) indenyl complexes: synthesis and crystal structures of $(C_9H_7)_2Yb \cdot DME$, *rac*-$(CH_2)_2(1\text{-}C_9H_6)_2Yb(THF)_2$, and *rac*-$(CH_2)_2[1\text{-}(4,7\text{-}(CH_3)_2C_9H_4)]Yb(THF)_2$, 164
Cyclic voltammetry
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
Synthesis and characterization of $(CH_3C(CH_2PPh_2)_3)RhH(\eta^2\text{-}C_{60})$, 361
Cycloalkynes
Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[CuX(\eta^2\text{-}Cycloalkin)]_n$ (X = Cl, Br, I; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1

Cyclopentadiene
The first structurally characterized coordination compound containing direct Al–Cr bonding: Cp*Al–Cr(CO)$_5$, 94
Cyclopentadienyl
Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274

Density functional theory
Spectroscopic and theoretical study of $[PdCl_3(C_2H_4)]^-$ and $[PdCl_3(C_2D_4)]^-$ complexes, 118
Deuterium-NMR
Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\text{-}\eta^3\text{-}(R)N\text{–}CH_2\text{–}C{=}C\text{–}C(H){=}C(H)\text{–}C(H){=}C(H)]Fe_2(CO)_6$, 33
Dialkyldithiophosphate
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[Cp^*RhCl\{S_2P(OEt)_2\}]$, 159
Diaminophosphonium diazaylide
New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68
Dianions
An ab initio study on dilithiosulfoximines, 27
Dicarbon
Reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with $C_2(SiMe_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $Ru_5\{\mu_5\text{-}CC[C_2(SiMe_3)]C(SiMe_3)C(SiMe_3)\}(\mu_3\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$, $Ru_5(\mu_5\text{-}CCCCH_2)(\mu_3\text{-}SMe)(\mu\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$ and $Ru_5(\mu_5\text{-}CCCCH_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$, 254
Dimethylgallium complexes
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
2,4-Dimethylpentadienyl–lanthanide
Synthesis and crystal structure of $[(2,4\text{-}C_7H_{11})_2LnC{\equiv}CC_6H_5]_2$ (Ln = Gd, Er), 135
Dinuclear complex
Insertion of SO_2 into the P–P bond of $Fe_2(CO)_6(\mu\text{-}P_2^tBu_2)$, 346
Diphenylacetyl chloride
New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68
Divinyldimethylsilane
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366
Divinyl tellurides
Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44
Dynamic processes
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366

Electrochemistry
N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $RuCl_2(PPh_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213
Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73
Electronic effect
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
Entrapped complexes
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16

EPR
Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73
EPR spectroscopy
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
Ethylene
Synthesis and structure of dinuclear [(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn-Co(η^2-ethene)(η^5-Me_5C_5)] and its thermal conversion to trinuclear [{(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn}$_2$Co(η^5-Me_5C_5)] (Co–Sn$_2$), 338
Ethylene polymerisation
Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274
Ethynyl
X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301

Ferrocene
X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301
Ferrocene-substituted azaheterocycles
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
Ferrocenophane
N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $RuCl_2(PPh_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213
Ferrocenoyl
Photochemical generation of a novel (O, N′, N″) coordinated iron(II) complex [Fe(FT–py)$_2$] from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N*′-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and [Fe(FT–py)$_2$], 190
Fluorene
X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301
FTIR
Spectroscopic and theoretical study of $[PdCl_3(C_2H_4)]^-$ and $[PdCl_3(C_2D_4)]^-$ complexes, 118
FT-Raman spectroscopy
Spectroscopic and theoretical study of $[PdCl_3(C_2H_4)]^-$ and $[PdCl_3(C_2D_4)]^-$ complexes, 118
Fulvalene complexes
Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of $(\eta^5\text{:}\eta5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347

Gas phase structures
An ab initio study on dilithiosulfoximines, 27
Grignard
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Grignard reagent
Complexes $PhMgBr\cdot nMgBr_2\cdot mNEt_3$ in the reaction with acetylene, 185
Group 5 metallocene cation complexes
The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

Half-sandwich
Synthesis and structure of dinuclear [(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn-Co(η^2-ethene)(η^5-Me_5C_5)] and its thermal conversion to trinuclear [{(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn}$_2$Co(η^5-Me_5C_5)] (Co–Sn_2), 338
Halogeno complexes
Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs [CuX(η^2-Cycloalkin)]$_n$ (X = Cl, Br, I; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1
Heck olefination
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
Heterocycles
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
Heterogeneous catalysis
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
Hexacarbonylmolybdenum
Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171
Homo- and heterodinuclear complexes
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Homogeneous catalysts
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
Hydride
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
Hydroboration
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
Hydrocyanation of benzaldehyde
Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274
Hydrodesulfurization
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
Hydrogen–halogen exchange
Hydrogen–halogen exchange reactions of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2H_2$ with CCl_4 and CHI_3; characterization of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Hydrosilylation
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366
8-Hydroxyquinoline
Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin-(IV)·2$CHCl_3$, 103

Imido transfer
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200
Imines
Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of [μ_2-η^3-(*R*)N–CH_2–C=C–C(H)=C(H)–C(H)=C(H)]Fe_2(CO)$_6$, 33
Iminophosphorane
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
Indenyl
Ytterbium(+2) indenyl complexes: synthesis and crystal structures of (C_9H_7)$_2$Yb·DME, *rac*-$(CH_2)_2$(1-C_9H_6)$_2$Yb(THF)$_2$, and *rac*-$(CH_2)_2$[1-(4,7-$(CH_3)_2C_9H_4$)]Yb(THF)$_2$, 164
Insertion
Insertion of SO_2 into the P–P bond of Fe_2(CO)$_6$(μ-$P_2^tBu_2$), 344
Iridium
Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73
Iron
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Insertion of SO_2 into the P–P bond of Fe_2(CO)$_6$(μ-$P_2^tBu_2$), 344
Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of [μ_2-η^3-(*R*)N–CH_2–C=C–C(H)=C(H)–C(H)=C(H)]Fe_2(CO)$_6$, 33
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
Isomerization
Hydrogen–halogen exchange reactions of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2H_2$ with CCl_4 and CHI_3; characterization of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Isomers
Structural characterisation of the elusive isomer of Os_3(CO)$_{10}$(PPh_3)$_2$, 174

Ketenimine
New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68
Kinetics
Complexes $PhMgBr \cdot nMgBr_2 \cdot mNEt_3$ in the reaction with acetylene, 185

Lithium
An ab initio study on dilithiosulfoximines, 27

Magnesium
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Metal carbonyl
Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of ($Me_2SiSiMe_2$)[(η^5-C_5Me_4)Ru-(CO)]$_2$(μ-CO)$_2$ and [(Me_2Si(η^5-C_5Me_4)Ru(CO)$_2$]$_2$, 356
Metal carbonyls
Insertion of SO_2 into the P–P bond of Fe_2(CO)$_6$(μ-$P_2^tBu_2$), 344
Metal halides
Hydrogen–halogen exchange reactions of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2H_2$ with CCl_4 and CHI_3; characterization of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Metal hydrides
Hydrogen–halogen exchange reactions of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2H_2$ with CCl_4 and CHI_3; characterization of (η^5:η^5-$C_{10}H_8$)W_2(CO)$_4$(PPh_2Me)$_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Metallacyclic σ-allyl complexes
The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

Metallofullerene
Synthesis and characterization of $(CH_3C(CH_2PPh_2)_3)RhH(\eta^2$-$C_{60})$, 361
Metal–metal bond
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
Methyl and trimethylsilyl substituents
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
Microwave irradiation
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
MO calculations
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
Molecular dynamics
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
Molecular orbital schemes
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[Nd(\eta^3$-$C_3H_5)_3 \cdot Dioxan_{2/2}]$ im f-Bereich, 310
Molybdate
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
Molybdenum
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171
Multidentate phosphane ligands
Octakis-(dimethylphosphanoethyl)-octasilsesquioxane–synthesis, characterization and reactivity, 11
Multinuclear NMR
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98

Naphthol
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
Neodymium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[Nd(\eta^3$-$C_3H_5)_3 \cdot Dioxan_{2/2}]$ im f-Bereich, 310
Nickel gallium bond
Synthesis and structure of (carbonyl){μ-η^5: η^1-[2-(*N*,*N*-dimethylamino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
Nitrosyls
Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73
NMR
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[Cp^*RhCl\{S_2P(OEt)_2\}]$, 159
NMR spectroscopy
Hydrogen–halogen exchange reactions of $(\eta^5$:η^5-$C_{10}H_8)$-$W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of $(\eta^5$:η^5-$C_{10}H_8)W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
[2-(*N*,*N*-dimethylamino)ethyl]cyclopentadienyl ligand (Cp^N)
Synthesis and structure of (carbonyl){μ-η^5: η^1-[2-(*N*,*N*-dimethylamino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
Norcarane
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Normal coordinate analysis
Spectroscopic and theoretical study of $[PdCl_3(C_2H_4)]^-$ and $[PdCl_3(C_2D_4)]^-$ complexes, 118
N,*P*′-Chelate
Synthesis of chiral 1′-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140

One-pot Mannich reaction
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
Optical spectra
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[Nd(\eta^3$-$C_3H_5)_3 \cdot Dioxan_{2/2}]$ im f-Bereich, 310
Organolanthanide
Synthesis and crystal structure of $[(2,4\text{-}C_7H_{11})_2LnC{\equiv}CC_6H_5]_2$ (Ln = Gd, Er), 135
Organonickel complexes
Synthesis and structure of (carbonyl){μ-η^5: η^1-[2-(*N*,*N*-dimethylamino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
Osmium
Structural characterisation of the elusive isomer of $Os_3(CO)_{10}(PPh_3)_2$, 174
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223

Palladium
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
Spectroscopic and theoretical study of $[PdCl_3(C_2H_4)]^-$ and $[PdCl_3(C_2D_4)]^-$ complexes, 118
Palladium catalysis
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
Paramagnetic susceptibility
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[Nd(\eta^3$-$C_3H_5)_3 \cdot Dioxan_{2/2}]$ im f-Bereich, 310
Pd-catalysts
Synthesis of chiral 1′-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
Pentamethylcyclopentadienyl–rhodium
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[Cp^*RhCl\{S_2P(OEt)_2\}]$, 159
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
Phosphine
Phosphine and isonitrile complexes of η^5-tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5$-$C_5Me_4H)RhCl_2(PPh_2R)$ (R = Ph or C_6F_5), 206
Structural characterisation of the elusive isomer of $Os_3(CO)_{10}(PPh_3)_2$, 174

Phosphine substituted
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
Phosphine substitution
Hydrogen–halogen exchange reactions of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of $(\eta^5{:}\eta^5\text{-}C_{10}H_8)W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347
Phosphorus
Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44
Photolysis
Photochemical generation of a novel (O, N′, N″) coordinated iron(II) complex [Fe(FT–py)$_2$] from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N*′-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and [Fe(FT–py)$_2$], 190
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
Polyfunctional disiloxanes
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Brønsted acid catalyzed equilibration of *sym*-tetramethyldisiloxane or *sym*-divinyltetramethyldisiloxane with polychlorosilanes, 376
Porphyrin
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
P–P bond
Insertion of SO_2 into the P–P bond of $Fe_2(CO)_6(\mu\text{-}P_2^tBu_2)$, 344
Proton transfer
Photochemical generation of a novel (O, N′, N″) coordinated iron(II) complex [Fe(FT–py)$_2$] from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N*′-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and [Fe(FT–py)$_2$], 190
Pyridyl-2-carboxylic acid
Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin-(IV)·2$CHCl_3$, 103

Rhenium
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
Rhodium
Phosphine and isonitrile complexes of η^5-tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5\text{-}C_5Me_4H)RhCl_2(PPh_2R)$ (R = Ph or C_6F_5), 206
Synthesis and characterization of $(CH_3C(CH_2PPh_2)_3)RhH(\eta^2\text{-}C_{60})$, 361
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of [Cp*RhCl{$S_2P(OEt)_2$}], 159
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
Rhodium(I)
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366
Ring edge coordination
Novel η^2-ring edge coordination in the triphosphaferrocene complex $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}P_3C_2^tBu_2)Rh(\eta^5\text{-}C_5Me_5)CO]$, 87
Ring-opening
The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223
Ruthenium
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $RuCl_2(PPh_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213
Reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with $C_2(SiMe_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $Ru_5\{\mu_5\text{-}CC[C_2(SiMe_3)]C(SiMe_3)C(SiMe_3)\}(\mu_3\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$, $Ru_5(\mu_5\text{-}CCCCH_2)(\mu_3\text{-}SMe)(\mu\text{-}SMe)(\mu\text{-}PPh_2)_2(CO)_{10}$ and $Ru_5(\mu_5\text{-}CCCCH_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$, 254
Synthesis of the dicarbonyl ruthenium(0) triphosphole complex $[Ru(CO)_2\{\eta^5\text{-}P_3C_2Bu_2^tCH(SiMe_3)_2\}]$ and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system {$CBu^tPP(H)CH(SiMe_3)_2CBu^tP(O)H$}, 58
Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(Me_2SiSiMe_2)[(\eta^5\text{-}C_5Me_4)Ru(CO)]_2(\mu\text{-}CO)_2$ and $[(Me_2Si(\eta^5\text{-}C_5Me_4)Ru(CO)_2]_2$, 356
Ruthenium carbonyl
A practical synthetic method for dodecacarbonyltriruthenium, $Ru_3(CO)_{12}$, using ruthenium dioxide hydrate, 197
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
Ruthenium oxide
A practical synthetic method for dodecacarbonyltriruthenium, $Ru_3(CO)_{12}$, using ruthenium dioxide hydrate, 197

Si–C
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Brønsted acid catalyzed equilibration of *sym*-tetramethyldisiloxane or *sym*-divinyltetramethyldisiloxane with polychlorosilanes, 376
Si–H
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Brønsted acid catalyzed equilibration of *sym*-tetramethyldisiloxane or *sym*-divinyltetramethyldisiloxane with polychlorosilanes, 376
Silanes
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
Silsesquioxanes
Octakis-(dimethylphosphanoethyl)-octasilsesquioxane–synthesis, characterization and reactivity, 11
Silylation
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Silylcyclopropane
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Si–vinyl
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Brønsted acid catalyzed equilibration of *sym*-tetramethyldisiloxane or *sym*-divinyltetramethyldisiloxane with polychlorosilanes, 376
^{119}Sn-Mössbauer-spectroscopy
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
Solvation effects
Complexes $PhMgBr\cdot nMgBr_2\cdot mNEt_3$ in the reaction with acetylene, 185
Solvatochromism
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
Spirocyclohexadienones
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63

Stannylene
Synthesis and structure of dinuclear [(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn-Co(η^2-ethene)(η^5-Me_5C_5)] and its thermal conversion to trinuclear [{(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn}$_2$Co(η^5-Me_5C_5)] (Co–Sn_2), 338
Steric effect
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
(*s*-*trans*-η^4-Butadiene)metallocene
The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318
Styrene polymerization
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
Substituent effects
The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223
1′-Substituted oxazolinylferrocenes
Synthesis of chiral 1′-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
Substituted zirconocene dichlorides
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
Sulfoximines
An ab initio study on dilithiosulfoximines, 27
Sulfur dioxide
Insertion of SO_2 into the P–P bond of $Fe_2(CO)_6(\mu$-$P_2^tBu_2)$, 344
Synthesis
Synthesis and crystal structure of [(2,4-$C_7H_{11})_2LnC{\equiv}CC_6H_5]_2$ (Ln = Gd, Er), 135

Tellurium
Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44
TEMPO
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
Termination
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
Tetrahydrothiophene
The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223
Tetramethyldivinyldisiloxane
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366
Thermal rearrangement reaction
Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of ($Me_2SiSiMe_2$)[(η^5-C_5Me_4)Ru(CO)]$_2$(μ-CO)$_2$ and [(Me_2Si(η^5-C_5Me_4)Ru$(CO)_2]_2$, 356
Thiopyrylium
Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171
Thiopyrylium cation
Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171
Tin
Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin(IV)·2$CHCl_3$, 103
Synthesis and structure of dinuclear [(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn-Co(η^2-ethene)(η^5-Me_5C_5)] and its thermal conversion to trinuclear [{(2-*tert*-butyl-4,5,6-trimethylphenyl)$_2$Sn}$_2$Co(η^5-Me_5C_5)] (Co–Sn_2), 338
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
Titanium
Bis(μ-η^5:η^5-1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286
Titanium–titanium bond
Bis(μ-η^5:η^5-1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286
Transition metal complexes
Octakis-(dimethylphosphanoethyl)-octasilsesquioxane–synthesis, characterization and reactivity, 11
Transition-metal-labelled barbituric acids
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
Triphosphacyclopentadienyl ring
Novel η^2-ring edge coordination in the triphosphaferrocene complex [Fe(η^5-C_5H_5)(η^5-$P_3C_2^tBu_2$)Rh(η^5-C_5Me_5)CO], 87
Triphosphaferrocene
Novel η^2-ring edge coordination in the triphosphaferrocene complex [Fe(η^5-C_5H_5)(η^5-$P_3C_2^tBu_2$)Rh(η^5-C_5Me_5)CO], 87
Triphosphole
Synthesis of the dicarbonyl ruthenium(0) triphosphole complex [Ru$(CO)_2${η^5-$P_3C_2Bu_2^tCH(SiMe_3)_2$}] and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system {CBu^{t}PP(H)CH(Si$Me_3)_2$CBu^{t}P(O)H}, 58
Tungsten
Cooperative effects in π-ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienediyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
Metal carbonyl complexes of the ditertiary bismuthine *p*-$Ph_2BiC_6H_4BiPh_2$ and the effect of coordination upon bismuthine ligand geometry, 179
Tungsten complexes
Hydrogen–halogen exchange reactions of (η^5:η^5-$C_{10}H_8$)$W_2(CO)_4(PPh_2Me)_2H_2$ with CCl_4 and CHI_3; characterization of (η^5:η^5-$C_{10}H_8$)$W_2(CO)_4(PPh_2Me)_2X_2$ (X = Cl, I) and crystal structure determination of the iodide, 347

Ultrasound
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
Unsymmetrical carbodiimide
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Vanadium imido
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200
Vanadium oxo
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Wittig
Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44

X-ray
Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of [μ_2-η^3-(*R*)N–CH_2–C≡C–C(H)=C(H)–C(H)=C(H)]$Fe_2(CO)_6$, 33
X-ray structure
Metal carbonyl complexes of the ditertiary bismuthine *p*-$Ph_2BiC_6H_4BiPh_2$ and the effect of coordination upon bismuthine ligand geometry, 179

Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[CuX(\eta^2\text{-Cycloalkin})]_n$ (X = Cl, Br, I; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1

Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin-(IV)·$2CHCl_3$, 103

X-ray structure analysis

X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301

Ytterbium

Ytterbium(+2) indenyl complexes: synthesis and crystal structures of $(C_9H_7)_2Yb\cdot DME$, *rac*-$(CH_2)_2(1\text{-}C_9H_6)_2Yb(THF)_2$, and *rac*-$(CH_2)_2[1\text{-}(4,7\text{-}(CH_3)_2C_9H_4)]Yb(THF)_2$, 164

Zeolite

Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16

Zirconium

Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274